SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1730

| Version 5.1R | Page 1 / 10 | Revision Date 25.12.2018 |
|--------------|-------------|--------------------------|
|--------------|-------------|--------------------------|

SECTION 1: Identification of the substance/mixture and of the company

Product Identifier

Product Name: SiSiB® PC1730

Chemical Name: N-[3-(Trimethoxysilyl)propyl]aniline

CAS-No.: 3068-76-6

Relevant identified uses of the substance or mixture and uses advised against

Relevant applications identified For industrial use

Details of the supplier of the safety data sheet

Company Nanjing SiSiB Silicones Co., Ltd.

Guanghua Sci & Tech Industrial Zone,

No. 104, Guanghua Road, Nanjing 210007, P.R.China

Email: SDS@SiSiB.com

Emergency Telephone Number: +86-25-8468-0091

SECTION 2: Hazardous identification

Emergency Overview

OSHA Hazards

Target Organ Effect, Toxic by inhalation. Toxic by ingestion, Toxic by skin absorption, Skin sensitizer, Corrosive, Carcinogen, Mutagen

Target Organs

Blood, Bladder, Kidney, Central nervous system

GHS Classification

Skin corrosion (Category 1B)
Serious eye damage (Category 1)
Skin sensitization (Category 1)
Germ cell mutagenicity (Category 2)
Carcinogenicity (Category 2)
Acute aquatic toxicity (Category 2)

GHS Label elements, including precautionary statements







Pictogram

Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1730

| Version 5.1R Page 2 / 10 | Revision Date 25.12.2018 |
|--------------------------|--------------------------|
|--------------------------|--------------------------|

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H401 Toxic to aquatic life.

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.

P264 Wash skin thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the

workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P305 + P351+ P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

P321 Specific treatment (see supplemental first aid instructions on this

label).

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

HMIS Classification

Health hazard: 3
Chronic Health Hazard: *
Flammability: 1
Physical hazards: 0

NFPA Rating

Health hazard: 3
Fire: 1
Reactivity Hazard: 0

Potential Health Effects



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1730

| Version 5.1R | Page 3 / 10 | Revision Date 25.12.2018 |
|---------------|-------------|--------------------------|
| VCISION SILIN | Tage 5 / 10 | NCVISION Date 25.12.2010 |

Inhalation Toxic if inhaled. Material is extremely destructive to the tissue of

the mucous membranes and upper respiratory tract.

Skin Toxic if absorbed through skin. Causes skin burns.

Eyes Causes eye burns. **Ingestion** Toxic if swallowed.

SECTION 3: Composition/information on ingredients

Formula $C_{12}H_{21}NO_3Si$ Molecular weight 255.39 g/mol

| Component | Classification | Concentration | |
|--------------------------------------|-------------------------------|---------------|--|
| N-[3-(Trimethoxysilyl)propyl]aniline | | | |
| CAS-No. 3068-76-6 | Skin Corr. 1B; H314 | - | |
| EC-No. 221-328-2 | | | |
| Aniline | | | |
| CAS-No. 62-53-3 | Carc. 2; Muta. 2; Acute Tox. | 1-5% | |
| EC-No. 200-539-3 | 3;STOT RE 1; Eye Dam. 1; Skin | | |
| | Sens. 1; Aquatic Acute 1; | | |
| | H301,H311,H317,H318, | | |
| | H331,H341,H351, H372, | | |
| | H400 | | |

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

SECTION 4: First aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

SECTION 5: Firefighting measures

Extinguishing media



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1730

| Version 5.1R | Page 4 / 10 | Revision Date 25.12.2018 |
|--------------|-------------|--------------------------|
|--------------|-------------|--------------------------|

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx), silicon oxides

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Evacuate personnel to safe areas.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Normal measures for preventive fire protection.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Light sensitive. Store under inert gas.

SECTION 8: Exposure Controls/Personal Protection

Exposure Controls

Eye Protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1730

 Version 5.1R
 Page 5 / 10
 Revision Date 25.12.2018

after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Form: liquid Color yellow

Odor no data available
Odor Threshold no data available
pH no data available
Melting point/freezing point no data available
Initial boiling point and boiling range 310 °C (590 °F) - lit.

Flash point: 110 °C (230 °F) - closed cup

Evaporation rate no data available
Flammability (solid, gas) no data available
Upper/lower flammability no data available

or explosive limits

Vapor pressure: no data available
Vapor density: no data available

Relative density 1.07 g/mL at 25 °C (77 °F)

Water solubility:

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition temperature

Viscosity

Explosive properties

Oxidizing properties

no data available
no data available
no data available
no data available

Other safety information



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1730

Version 5.1R Page 6 / 10 Revision Date 25.12.2018

no data available

SECTION 10: Stability And Reactivity

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

Exposure to moisture. Exposure to sunlight.

Materials to avoid

Strong oxidizing agents, Water

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, nitrogen oxides (NOx), silicon oxides

Other decomposition products - no data available

SECTION 11:Toxicological Information

Acute toxicity

Oral LD50

no data available

Inhalation LC50

no data available

Dermal LD50

no data available

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1730

Version 5.1R Page 7 / 10 Revision Date 25.12.2018

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation Toxic if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.

Ingestion Toxic if swallowed.

Skin Toxic if absorbed through skin. Causes skin burns.

Eyes Causes eye burns.

Signs and Symptoms of Exposure

Inhalation of vapors may cause: Cough, Headache, Nausea, Skin contact may provoke the following symptoms: allergic dermatitis

Synergistic effects

no data available

Additional Information

no data available

SECTION 12: Ecological Effects

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Results of PBT and vPvB assessment

no data available

Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

no data available

SECTION 13:Disposal considerations



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1730

Version 5.1R Page 8 / 10 Revision Date 25.12.2018

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.

SECTION 14:Transport Information

DOT (US)

UN-Number: 3267 Class: 8 Packing group: II

Proper shipping name: Corrosive liquid, basic, organic, n.o.s. (N-[3-(TrimethoxysilyI)propyI]aniline)

Reportable Quantity (RQ): 500000 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN-Number: 3267 Class: 8 Packing group: II EMS-No: F-A, S-B

Proper shipping name: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.

(N-[3-(Trimethoxysilyl)propyl]aniline)

Marine pollutant: No

IATA

UN-Number: 3267 Class: 8 Packing group: II

Proper shipping name: Corrosive liquid, basic, organic, n.o.s.

(N-[3-(Trimethoxysilyl)propyl]aniline).

SECTION 15:Regulatory Information

OSHA Hazards

Target Organ Effect, Toxic by inhalation. Toxic by ingestion, Toxic by skin absorption, Skin sensitizer, Corrosive, Carcinogen, Mutagen

SARA 302 Components

Aniline

CAS-No.

62-53-3

Revision Date

1993-04-24

SARA 313 Components

Aniline



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1730

Version 5.1R Page 9 / 10 Revision Date 25.12.2018

CAS-No.

62-53-3

Revision Date

1993-04-24

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

Aniline

CAS-No.

62-53-3

Revision Date

1993-04-24

Pennsylvania Right To Know Components

Aniline

N-[3-(Trimethoxysilyl)propyl]aniline 3068-76-6

CAS-No.

62-53-3

3068-76-6

Revision Date

1993-04-24

New Jersey Right To Know Components

Methanol

Aniline

N-[3-(Trimethoxysilyl)propyl]aniline

CAS-No.

67-56-1

62-53-3

3068-76-6

Revision Date

2007-07-01

1993-04-24

California Prop. 65 Components

WARNING! This product contains a chemical known to the State of

California to cause cancer.

Aniline

CAS-No.

62-53-3

Revision Date

2007-09-28



SAFETY DATA SHEET

(EC 1907/2006) SiSiB® PC1730

| Version 5.1R | Page 10 / 10 | Revision Date 25.12.2018 |
|--------------|--------------|--------------------------|
|--------------|--------------|--------------------------|

SECTION 16:Other Information

Text of H-code(s) and R-phrase(s) mentioned in Section 3

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity

Carc. Carcinogenicity

Eye Dam. Serious eye damage H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H372 Causes damage to organs through prolonged or repeated

exposure.

H400 Very toxic to aquatic life.
Muta. Germ cell mutagenicity

Skin Corr. Skin corrosion
Skin Sens. Skin sensitization

STOT RE Specific target organ toxicity - repeated exposure

Further information

It must be recognized that the physical and chemical properties of any product may not be fully understood and that new, possibly hazardous products may arise from reactions between chemicals. The information given in this data sheet is based on our present knowledge and shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

